



**Utah's Vital Statistics
Abortions
2007**

Utah Department of Health
Center for Health Data





**Utah's Vital Statistics
Abortions
2007**

**February 2009
Technical Report No. 266**

Mission Statement

The Office of Vital Records and Statistics administers the statewide system of Vital Records and Statistics by documenting and certifying the facts of births, deaths, and family formation for the legal purposes of the citizens of Utah, participates in the National Vital Statistics System, and responds to the needs of health programs, health care providers, businesses, researchers, educational institutions and the Utah public for data and statistical information.

This publication was produced by:
The Statistical Products Section
in the

Office of Vital Records and Statistics

Jeffrey D. Duncan, M.S.

Director

Staff Contributors:

Marie Aschlimann
Mylitta Barrett
Cynthia Robison

Utah Department of Health
Center for Health Data

**OFFICE OF VITAL RECORDS AND STATISTICS
PO BOX 141012
SALT LAKE CITY UT 84114-1012**

Located in the Cannon Health Building at 288 N 1460 W

Website: health.utah.gov/vitalrecords
Email: vrequest@utah.gov
Phone: (801) 538-6843
Fax: (801) 538-7012

This information can be made available
in alternative formats upon request.

PREFACE

This 2007 report is the thirtieth in a series on legally induced abortions in Utah. Previous reports were for the combined years 1974-1975, 1975-1977, 1978-1980, each year from 1981-1998, combined years 1999-2000, 2001-2002 and each year from 2003-2007.

These tabulations are published annually to make commonly used vital records data available to health programs, health care providers, businesses, researchers, educational institutions and the Utah public. Data are presented for the state, the local health districts, and the counties.

The most recent series of Utah's Vital Statistics reports no longer include abortion data for the United States. The most recent abortion data for the United States is published by the Centers for Disease Control in the Morbidity and Mortality Weekly Report, "Abortion Surveillance - United States, 2005," Vol. 57, No. SS-13, Atlanta, Georgia, November 2008. The website for this report at the Centers for Disease Control is <http://www.cdc.gov/mmwr/pdf/ss/ss5713.pdf> or use the keyword "abortion 2005" to search for the Abortion Surveillance report .

TABLE OF CONTENTS

Page	
ix	List of Summary Tables
xi	List of Reference Tables
xiii	List of Appendices
S-1	Summary Tables
R-1	Reference Tables
T-1	Technical Appendix

List of Summary Tables

Page

- S-3 Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980, 1985 and 1990-2007
- S-3 Table 2. Abortions occurring in Utah by state of residence: 2007
- S-4 Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990 and 1995-2007
- S-5 Table 4a and 4b. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1985, and 1990-2007
- S-6 Table 5. Population for females 15 to 44 years of age, residents: Utah, 1990, 1995-2007
- S-6 Table 6. Age-specific abortion rates, residents: Utah, 1990, 1995-2007

Figure

- S-7 Figure 1. Abortions per 1,000 live births, residents: Utah, 1990-2007

List of Reference Tables

Page	
R-3	Table R1. Abortions by health district, county of residence and age of woman: Utah, 2007
R-4	Table R2. Abortions by health district, county of residence and month of occurrence: Utah, 2007
R-5	Table R3. Abortions by age and marital status of woman, residents: Utah, 2007
R-5	Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2007
R-5	Table R5. Abortions by age and education of woman, residents: Utah, 2007
R-6	Table R6. Abortions by age and race of woman, residents: Utah, 2007
R-6	Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2007
R-7	Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2007
R-7	Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2007
R-7	Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2007

(List of Reference Tables continued)

- R-8 Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2007
- R-8 Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2007
- R-9 Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2007
- R-10 Table R14. Abortions by age of woman and method of termination, residents: Utah, 2007
- R-10 Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2007
- R-11 Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2007
- R-11 Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2007
- R-11 Table R18. Abortions by age of woman, pregnancy due to omission of contraceptive, residents: Utah, 2007
- R-12 Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2007
- R-12 Table R20. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2007

(List of Reference Tables continued)

- R-13 Table R21. Abortions by number of prior live births and prior abortions and method of contraceptive in past year, residents: Utah, 2007
- R-13 Table R22. Abortions by education of woman and method of contraceptive in past year, residents: Utah, 2007

Technical Appendix

- T-4 Figure 1. State of Utah -- Department of Health report of induced termination of pregnancy

2007 Summary Tables:
Abortions

Table 1. Estimated population, females ages 15-44, resident live births, abortions, and abortion rates and ratios: Utah, 1980, 1985, 1990-2007

Year	Estimated population females ages 15-44 ¹	Resident Live Births	Abortions			
			Occurrence Number	Residents Number	Rate ²	Ratio ³
1980	342,817	41,786	4,086	3,821	11.1	91.4
1985	385,335	37,441	4,129	3,928	10.2	104.9
1990	395,807	36,253	4,796	4,159	10.5	114.7
1991	411,839	36,019	4,213	3,759	9.1	104.4
1992	428,353	37,198	3,941	3,525	8.2	94.8
1993	443,618	37,048	3,945	3,615	8.1	97.6
1994	460,914	38,271	3,610	3,304	7.2	86.3
1995	475,165	39,554	3,705	3,292	6.9	83.2
1996	488,404	42,056	3,639	3,293	6.7	78.3
1997	502,401	43,009	3,408	3,140	6.2	73.0
1998	510,715	45,128	3,487	3,237	6.3	71.7
1999	520,259	46,243	3,381	3,160	6.1	68.3
2000	528,501	47,331	3,509	3,279	6.2	69.3
2001	540,060	47,915	3,594	3,372	6.2	70.4
2002	548,463	49,140	3,524	3,300	6.0	67.2
2003	557,186	49,834	3,576	3,338	6.0	67.0
2004	566,195	50,653	3,665	3,379	6.0	66.7
2005	580,529	51,517	3,556	3,279	5.6	63.6
2006	591,473	53,475	3,753	3,444	5.8	64.4
2007	606,838	55,063	3,932	3,516	5.8	63.9

¹Population projections/estimates are revised as historical data becomes available and the rates may not agree with previous reports.

²Rates are per 1,000 females 15 to 44 years of age.

³Ratios are per 1,000 live births.

Source for Utah female population 15-44 years of age for years 1980-2007: Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOPB), 2008 Baseline Economic and Demographic Projections (revised on July 23, 2008)

Table 2. Abortions occurring in Utah by state of residence: 2007

State of Residence	Frequency	Percent
Total	3,932	100.0
Arizona	2	0.1
California	5	0.1
Colorado	5	0.1
Idaho	206	5.2
Montana	3	0.1
Nevada	29	0.7
Texas	2	0.1
Utah	3,516	89.4
Washington	2	0.1
Wyoming	152	3.9
Other states*	10	0.3

*Other states include Alabama, Hawaii, Illinois, Maine, Michigan, Minnesota, Missouri, Oklahoma, Pennsylvania, and Virginia.

Table 3. Abortions, live births and abortion ratios by health district and county of residence: Utah, 1990 and 1995-2007

District and county of residence	2007			Abortion ratios by year												
	Live births	Abortions	2007	1990	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
Total	55,063	3,516	63.9	114.7	83.2	78.3	73.0	71.7	68.3	69.3	70.4	67.2	67.0	66.7	63.6	64.4
Bear River	3,379	107	31.7	60.9	37.3	33.1	36.7	38.9	35.5	32.6	29.6	32.0	32.3	24.3	27.9	27.2
Box Elder	948	26	27.4	29.4	21.5	28.6	26.4	44.3	33.2	27.1	34.0	39.8	29.4	23.2	25.1	22.9
Cache	2,400	80	33.3	74.7	43.3	35.1	40.9	37.3	36.7	35.0	28.3	29.6	33.4	25.0	29.3	29.2
Rich	31	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Central Utah	1,217	21	17.3	36.7	29.5	24.8	14.7	20.4	18.1	23.2	21.2	26.1	23.1	17.5	27.3	17.3
Juab	193	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Millard	211	4	--	30.4	51.0	--	--	--	--	38.3	40.8	--	--	--	--	--
Piute	14	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Sanpete	406	7	17.2	26.9	21.9	21.2	--	19.0	27.3	19.1	--	37.9	35.5	--	23.3	16.9
Sevier	359	8	22.3	44.0	33.7	31.7	--	--	18.0	24.0	--	--	--	--	36.2	21.4
Wayne	34	2	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Davis	6,159	285	46.3	85.5	62.9	62.1	56.7	56.6	50.8	58.1	52.4	47.5	57.1	51.5	45.5	48.2
Salt Lake	19,546	2,232	114.2	181.0	139.9	129.0	125.1	122.6	115.3	117.2	126.4	116.5	117.5	119.1	112.6	113.5
Southeastern	858	30	35.0	87.6	44.4	36.4	35.6	42.1	22.2	25.7	14.7	32.3	41.9	35.6	31.6	39.7
Carbon	327	24	73.4	128.0	77.7	75.9	64.6	87.0	55.6	46.5	30.5	63.3	82.8	56.1	82.2	81.4
Emery	192	3	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Grand	123	2	--	183.5	70.7	--	--	--	--	--	--	--	--	--	--	--
San Juan	216	1	--	57.6	--	--	--	--	--	--	--	--	--	--	--	--
Southwest	4,022	8	2.0	12.7	5.1	6.8	2.7	2.5	--	3.9	--	--	--	3.8	3.6	2.0
Beaver	121	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Garfield	65	1	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Iron	997	2	--	--	--	12.9	--	--	--	--	--	--	--	--	--	--
Kane	83	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Washington	2,756	5	--	--	--	--	--	--	--	--	--	--	--	3.3	--	--
Summit	595	98	164.7	349.4	282.7	211.2	231.3	237.2	201.8	190.3	165.4	173.1	150.0	163.0	166.3	181.7
Tooele	1,144	58	50.7	94.9	94.6	83.6	59.6	67.6	60.8	49.2	58.2	73.1	66.4	63.5	85.1	52.8
TriCounty	1,069	38	35.5	72.5	29.1	31.8	22.6	22.5	27.2	33.2	22.8	30.0	27.1	34.1	33.8	43.7
Daggett	9	0	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Duchesne	385	13	33.8	35.3	--	27.7	--	35.6	33.8	24.8	29.2	34.5	--	29.2	26.8	32.3
Uintah	675	25	37.0	92.4	38.8	32.3	21.8	--	23.6	39.6	19.8	25.7	36.7	35.5	36.1	47.7
Utah County	12,284	295	24.0	32.4	23.6	30.1	21.4	22.0	24.8	23.7	20.3	22.7	22.6	22.5	22.5	23.5
Wasatch	408	33	80.9	105.0	41.5	34.6	45.6	55.8	44.1	71.0	66.2	68.7	35.9	70.1	52.1	61.1
Weber-Morgan	4,382	311	71.0	129.6	86.2	78.9	79.1	70.3	81.3	68.4	72.0	69.8	68.0	72.0	66.9	78.3
Morgan	159	3	--	96.8	--	--	--	--	--	--	--	--	--	--	--	--
Weber	4,223	308	72.9	132.5	85.9	79.9	80.1	71.1	83.2	69.3	73.2	70.9	69.1	73.3	68.1	80.8

Ratios are per 1,000 live births and are not computed for fewer than seven events or when the number of births is less than 30.

Table 4a. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1985, and 1990-2007

Marital status	Year									
	1980	1985	1990	1991	1992	1993	1994	1995	1996	1997
Total*										
Induced abortions	3,821	3,928	4,159	3,759	3,525	3,615	3,304	3,292	3,293	3,140
Live births	41,786	37,441	36,253	36,019	37,198	37,048	38,271	39,554	42,056	43,009
Ratio per 1,000 live births	91.4	104.9	114.7	104.4	94.8	97.6	86.3	83.2	78.3	73.0
Married**										
Induced abortions	975	846	774	853	914	920	862	786	754	794
Live births	39,181	34,366	31,343	30,823	31,567	31,325	32,269	33,338	35,231	35,864
Ratio per 1,000 live births	24.9	24.6	24.7	27.7	29.0	29.4	26.7	23.6	21.4	22.1
Unmarried***										
Induced abortions	2,820	3,075	3,351	2,893	2,598	2,683	2,423	2,494	2,515	2,329
Live births	2,605	3,259	4,886	5,196	5,631	5,721	6,001	6,215	6,798	7,121
Ratio per 1,000 live births	1,082.5	943.5	685.8	556.8	461.4	469.0	403.8	401.3	370.0	327.1

Table 4b. Abortions, live births and ratios by marital status, residents: Utah, 1980, 1985, and 1990-2007

Marital status	Year									
	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
Total*										
Induced abortions	3,237	3,160	3,279	3,372	3,300	3,338	3,379	3,279	3,444	3,516
Live births	45,128	46,243	47,331	47,915	49,140	49,834	50,653	51,517	53,475	55,063
Ratio per 1,000 live births	71.7	68.3	69.3	70.4	67.2	67.0	66.7	63.6	64.4	63.9
Married**										
Induced abortions	860	858	809	844	756	771	795	760	830	880
Live births	37,388	38,543	39,135	39,593	40,671	41,254	41,822	42,416	43,412	44,254
Ratio per 1,000 live births	23.0	22.3	20.7	21.3	18.6	18.7	19.0	17.9	19.1	19.9
Unmarried***										
Induced abortions	2,357	2,284	2,455	2,348	2,268	2,143	2,270	2,230	2,187	2,371
Live births	7,722	7,699	8,175	8,322	8,469	8,580	8,831	9,101	10,063	10,809
Ratio per 1,000 live births	305.2	296.7	300.3	282.1	267.8	249.8	257.0	245.0	217.3	219.4

Abortion ratios for data years 1993 and 1995 are slightly different from the original published data in this series because birth data for these years are updated.

*Women with marital status unknown are included in the annual totals but are not distributed.

**The sum of women who are married plus women who are separated.

***The sum of women who are widowed, divorced and those who have never married.

**Table 5. Population for females 15 to 44 years of age, residents:
Utah, 1990 and 1995-2007**

Year	Total	Five year age groups (15 to 44 years of age)					
		15-44	15-19	20-24	25-29	30-34	35-39
1990	395,807	76,809	69,527	68,108	69,165	61,719	50,479
1995	475,165	96,751	87,652	73,818	75,510	75,365	66,069
1996	488,404	100,684	88,436	78,868	74,003	77,514	68,899
1997	502,401	101,639	93,540	82,070	73,873	78,950	72,329
1998	510,715	102,133	97,329	84,213	72,855	79,802	74,383
1999	520,259	101,883	101,869	85,610	74,198	80,215	76,484
2000	528,501	108,103	113,380	86,275	72,657	73,904	74,182
2001	540,060	107,764	117,456	89,857	76,040	73,115	75,828
2002	548,463	105,998	120,183	94,226	78,935	72,413	76,708
2003	557,186	104,847	121,895	99,235	81,723	72,124	77,362
2004	566,195	104,849	122,604	103,981	84,421	72,765	77,575
2005	580,529	106,259	123,051	109,180	88,636	75,632	77,771
2006	591,473	107,209	122,515	112,825	92,349	79,288	77,287
2007	606,838	109,021	121,810	116,837	98,019	83,455	77,696


Source for Utah female population 15-44 years of age for years 1990-2007: Utah Population Estimates Committee (UPEC) and the Governor's Office of Planning and Budget (GOPB), 2008 Baseline Economic and Demographic Projections (revised on July 23, 2008)

Table 6. Age-specific abortion rates, residents: Utah, 1990 and 1995-2007

Year	Total	Age of woman					
		15-44	15-19	20-24	25-29	30-34	35-39
1990	10.5	12.7	19.8	13.2	7.8	4.1	1.5
1995	6.9	6.3	12.3	11.0	6.6	3.7	1.2
1996	6.7	6.6	12.3	9.7	6.9	3.2	1.3
1997	6.2	6.0	10.1	8.5	6.2	3.6	1.3
1998	6.3	5.8	10.6	8.8	6.8	3.2	1.2
1999	6.1	5.7	10.3	8.5	5.8	3.3	1.3
2000	6.2	5.3	10.3	8.3	6.0	3.4	1.1
2001	6.2	5.1	9.8	8.1	6.4	3.8	1.2
2002	6.0	4.8	9.5	8.2	5.8	3.8	1.2
2003	6.0	5.0	9.1	7.7	6.1	3.9	1.2
2004	6.0	4.8	9.7	7.3	5.9	3.9	1.3
2005	5.6	4.8	8.5	7.2	5.2	4.2	1.1
2006	5.8	5.2	9.1	7.5	5.2	3.6	1.1
2007	5.8	5.3	9.2	7.1	5.1	3.6	1.4

Rates are per 1,000 females 15 to 44 years of age. The abortion component of the rate for total all ages include women less than 15 years of age, 45 years and older and age unknown.

Figure 1



2007 Reference Tables:

Abortions

Table R1. Abortions by health district, county of residence and age of woman: Utah, 2007

District and County	Total	Age of Woman											
		Under 15		15 to 19			20 to 24			25 to 29			45 and over
		Total	15	Total	15 to 17	18 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	10	50
Total	3,516	16	573	156	417	1,125	832	501	301	108	10	50	
Bear River	107	0	14	4	10	45	25	13	7	2	0	1	
Box Elder	26	0	5	2	3	9	6	4	1	1	0	0	
Cache	80	0	9	2	7	36	19	9	5	1	0	1	
Rich	1	0	0	0	0	0	0	0	1	0	0	0	
Central Utah	21	0	2	0	2	8	4	1	5	0	1	0	
Juab	0	0	0	0	0	0	0	0	0	0	0	0	
Millard	4	0	2	0	2	1	0	0	1	0	0	0	
Piute	0	0	0	0	0	0	0	0	0	0	0	0	
Sanpete	7	0	0	0	0	1	2	0	3	0	1	0	
Sevier	8	0	0	0	0	5	1	1	1	0	0	0	
Wayne	2	0	0	0	0	1	1	0	0	0	0	0	
Davis	285	0	41	10	31	106	67	35	26	5	0	5	
Salt Lake	2,232	13	354	96	258	691	537	345	187	67	7	31	
Southeastern	30	0	11	4	7	5	5	4	5	0	0	0	
Carbon	24	0	9	3	6	5	3	3	4	0	0	0	
Emery	3	0	1	1	0	0	1	0	1	0	0	0	
Grand	2	0	1	0	1	0	1	0	0	0	0	0	
San Juan	1	0	0	0	0	0	0	1	0	0	0	0	
Southwest	8	0	3	1	2	0	3	2	0	0	0	0	
Beaver	0	0	0	0	0	0	0	0	0	0	0	0	
Garfield	1	0	1	0	1	0	0	0	0	0	0	0	
Iron	2	0	1	0	1	0	0	1	0	0	0	0	
Kane	0	0	0	0	0	0	0	0	0	0	0	0	
Washington	5	0	1	1	0	0	3	1	0	0	0	0	
Summit	98	0	12	3	9	29	14	20	13	9	0	1	
Tooele	58	0	13	4	9	21	11	5	7	1	0	0	
TriCounty	38	0	7	2	5	13	7	6	4	1	0	0	
Daggett	0	0	0	0	0	0	0	0	0	0	0	0	
Duchesne	13	0	3	1	2	4	3	3	0	0	0	0	
Uintah	25	0	4	1	3	9	4	3	4	1	0	0	
Utah County	295	1	50	9	41	94	82	32	21	12	1	2	
Wasatch	33	0	7	3	4	7	12	2	4	1	0	0	
Weber-Morgan	311	2	59	20	39	106	65	36	22	10	1	10	
Morgan	3	0	1	1	0	1	0	0	1	0	0	0	
Weber	308	2	58	19	39	105	65	36	21	10	1	10	

Table R2. Abortions by health district, county of residence and month of occurrence: Utah, 2007

District and County	Total	Month of Occurrence											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total	3,516	329	290	346	280	303	286	258	297	303	305	280	239
Bear River	107	11	12	8	8	10	4	5	11	6	8	12	12
Box Elder	26	4	3	1	2	3	1	2	1	1	1	3	4
Cache	80	7	8	7	6	7	3	3	10	5	7	9	8
Rich	1	0	1	0									
Central Utah	21	3	4	3	3	0	1	2	1	2	0	0	2
Juab	0	0	0	0	0	0	0	0	0	0	0	0	0
Millard	4	2	1	1	0								
Piute	0	0	0	0	0	0	0	0	0	0	0	0	0
Sanpete	7	0	0	1	1	0	1	1	1	2	0	0	0
Sevier	8	0	3	1	2	0	0	1	0	0	0	0	1
Wayne	2	1	0	1									
Davis	285	34	22	29	30	24	23	20	17	26	23	17	20
Salt Lake	2,232	191	171	217	176	191	190	170	196	197	205	185	143
Southeastern	30	1	3	3	2	2	6	2	4	2	1	1	3
Carbon	24	1	2	3	2	1	5	2	2	2	1	1	2
Emery	3	0	1	0	0	0	0	0	1	0	0	0	1
Grand	2	0	0	0	0	1	0	0	1	0	0	0	0
San Juan	1	0	0	0	0	0	1	0	0	0	0	0	0
Southwest	8	0	0	2	0	2	0	0	2	2	0	0	0
Beaver	0	0	0	0	0	0	0	0	0	0	0	0	0
Garfield	1	0	0	0	0	0	0	0	1	0	0	0	0
Iron	2	0	0	1	0	0	0	0	0	1	0	0	0
Kane	0	0	0	0	0	0	0	0	0	0	0	0	0
Washington	5	0	0	1	0	2	0	0	1	1	0	0	0
Summit	98	14	9	9	4	8	6	8	11	12	4	6	7
Tooele	58	10	9	5	2	5	5	5	2	4	6	2	3
TriCounty	38	1	0	4	3	7	3	2	2	5	2	5	4
Daggett	0	0	0	0	0	0	0	0	0	0	0	0	0
Duchesne	13	1	0	0	1	1	1	1	0	3	1	2	2
Uintah	25	0	0	4	2	6	2	1	2	2	1	3	2
Utah County	295	25	28	43	24	22	26	21	22	26	22	17	19
Wasatch	33	5	3	4	2	2	2	2	1	1	5	3	3
Weber-Morgan	311	34	29	19	26	30	20	21	28	20	29	32	23
Morgan	3	0	0	0	0	1	0	0	1	1	0	0	0
Weber	308	34	29	19	26	29	20	21	27	19	29	32	23

Table R3. Abortions by age and marital status of woman, residents: Utah, 2007

Age	Total	Marital Status of Woman					Un-known
		Never Married	Married	Widowed	Divorced	Separated	
Total	3,516	2,104	718	14	253	162	265
Under 15	16	13	1	0	1	0	1
Total 15 to 19	573	515	16	1	4	6	31
15-17	156	145	0	0	1	0	10
18-19	417	370	16	1	3	6	21
20-24	1,125	839	117	3	31	46	89
25-29	832	433	202	5	85	43	64
30-34	501	164	199	4	61	37	36
35-39	301	86	119	0	49	24	23
40-44	108	26	49	1	18	6	8
45 and over	10	1	6	0	1	0	2
Unknown	50	27	9	0	3	0	11

Table R4. Abortions by weeks gestation and marital status of woman, residents: Utah, 2007

Weeks gestation	Total	Marital Status of Woman					Un-known
		Never Married	Married	Widowed	Divorced	Separated	
Total	3,516	2,104	718	14	253	162	265
Under 5	64	40	17	0	2	1	4
5-6	946	553	230	1	60	40	62
7-8	1,322	775	268	7	105	66	101
9-10	559	341	95	1	47	32	43
11-12	239	160	31	4	20	10	14
13-14	190	111	38	1	12	10	18
15-20	179	115	34	0	5	3	22
21 and over	6	3	3	0	0	0	0
Unknown	11	6	2	0	2	0	1

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R5. Abortions by age and education of woman, residents: Utah, 2007

Age	Total	Education of Woman			
		Under 12 Years	High School	Over 12 Years	Unknown
Total	3,516	333	1,302	1,017	864
Under 15	16	8	2	0	6
Total 15 to 19	573	125	224	65	159
15-17	156	88	27	2	39
18-19	417	37	197	63	120
20-24	1,125	72	432	339	282
25-29	832	63	290	296	183
30-34	501	34	173	167	127
35-39	301	20	110	107	64
40-44	108	6	46	30	26
45 and over	10	0	3	2	5
Unknown	50	5	22	11	12

Table R6. Abortions by age and race of woman, residents: Utah, 2007

Age	Race of Woman						
	Total	White	Black	Asian and Pacific Islander	Native American	Other	Unknown
Total	3,516	2,309	72	155	21	105	854
Under 15	16	7	0	1	0	1	7
Total 15 to 19	573	397	11	11	1	15	138
15-17	156	108	5	0	1	1	41
18-19	417	289	6	11	0	14	97
20-24	1,125	749	28	45	9	38	256
25-29	832	560	13	34	5	20	200
30-34	501	302	12	35	3	22	127
35-39	301	191	5	20	3	6	76
40-44	108	60	2	5	0	2	39
45 and over	10	6	0	2	0	0	2
Unknown	50	37	1	2	0	1	9

Table R7. Abortions by weeks gestation and race of woman, residents: Utah, 2007

Weeks gestation	Race of Woman						
	Total	White	Black	Asian and Pacific Islander	Native American	Other	Unknown
Total	3,516	2,309	72	155	21	105	854
Under 5	64	42	0	1	0	3	18
5-6	946	593	12	65	5	32	239
7-8	1,322	874	29	49	4	37	329
9-10	559	379	12	13	6	19	130
11-12	239	165	7	11	3	2	51
13-14	190	131	5	7	1	5	41
15-20	179	117	6	5	1	6	44
21 and over	6	3	0	2	1	0	0
Unknown	11	5	1	2	0	1	2

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R8. Abortions by age of woman and number of prior live births, residents: Utah, 2007

Age	Total	Prior Live Births						Five or More	Unknown
		None	One	Two	Three	Four			
Total	3,516	1,466	734	623	310	137	69	177	
Under 15	16	16	0	0	0	0	0	0	
Total 15 to 19	573	453	86	15	1	0	0	18	
15-17	156	139	13	3	0	0	0	1	
18-19	417	314	73	12	1	0	0	17	
20-24	1,125	608	287	140	28	10	1	51	
25-29	832	236	175	213	115	38	12	43	
30-34	501	80	105	133	84	47	23	29	
35-39	301	38	57	78	50	37	22	19	
40-44	108	9	11	37	26	3	10	12	
45 and over	10	1	5	1	2	0	0	1	
Unknown	50	25	8	6	4	2	1	4	

Table R9. Abortions by age of woman and number of prior abortions, residents: Utah, 2007

Age	Total	Prior Abortions						Five or More	Unknown
		None	One	Two	Three	Four			
Total	3,516	2,269	746	233	68	26	18	156	
Under 15	16	16	0	0	0	0	0	0	
Total 15 to 19	573	492	56	4	1	0	0	20	
15-17	156	145	9	0	0	0	0	2	
18-19	417	347	47	4	1	0	0	18	
20-24	1,125	775	233	49	13	2	3	50	
25-29	832	486	208	69	15	10	5	39	
30-34	501	261	128	60	16	10	3	23	
35-39	301	146	79	36	17	3	7	13	
40-44	108	60	27	9	4	1	0	7	
45 and over	10	1	5	3	1	0	0	0	
Unknown	50	32	10	3	1	0	0	4	

Table R10. Abortions by weeks gestation and number of prior abortions, residents: Utah, 2007

Weeks gestation ¹	Total	Prior Abortions						Five or More	Unknown
		None	One	Two	Three	Four			
Total	3,516	2,269	746	233	68	26	18	156	
Under 5	64	44	11	2	1	0	1	5	
5-6	946	617	212	54	21	5	4	33	
7-8	1,322	860	268	103	22	13	5	51	
9-10	559	372	117	23	11	4	5	27	
11-12	239	140	49	24	4	3	1	18	
13-14	190	116	43	15	5	0	2	9	
15-20	179	111	42	12	2	1	0	11	
21 and over	6	4	2	0	0	0	0	0	
Unknown	11	5	2	0	2	0	0	2	

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R11. Abortions by age of woman and reason for termination, residents: Utah, 2007

Age	Total	Reason for Termination											
		Maternal	Fetal	HIV	Un-	Life	Thera-	Malform-	Rape	Incest	Elective	Other	known
		Total	Endangered	peutic	ation	Positive							
Total	3,516	22	3,201	20	0	1	0	268	4	0			
Under 15	16	0	14	0	0	0	0	2	0	0	0	0	
Total 15 to 19	573	2	527	1	0	1	0	41	1	0			
15-17	156	1	145	0	0	0	0	10	0	0	0	0	
18-19	417	1	382	1	0	1	0	31	1	0	0	0	
20-24	1,125	7	1,035	4	0	0	0	78	1	0	0	0	
25-29	832	4	743	2	0	0	0	82	1	0	0	0	
30-34	501	5	461	3	0	0	0	32	0	0	0	0	
35-39	301	2	275	4	0	0	0	20	0	0	0	0	
40-44	108	1	94	3	0	0	0	10	0	0	0	0	
45 and over	10	0	8	0	0	0	0	1	1	0	0	0	
Unknown	50	1	44	3	0	0	0	2	0	0	0	0	

Table R12. Abortions by weeks gestation and reason for termination, residents: Utah, 2007

Weeks gestation	Total	Reason for Termination											
		Maternal	Fetal	HIV	Un-	Life	Thera-	Malform-	Rape	Incest	Elective	Other	known
		Total	Endangered	peutic	ation	Positive							
Total	3,516	22	3,201	20	0	1	0	268	4	0			
Under 5	64	1	57	0	0	0	0	6	0	0	0	0	
5-6	946	3	840	1	0	0	0	102	0	0	0	0	
7-8	1,322	6	1,211	3	0	0	0	100	2	0	0	0	
9-10	559	5	525	0	0	0	0	28	1	0	0	0	
11-12	239	1	212	1	0	0	0	25	0	0	0	0	
13-14	190	2	178	3	0	0	0	7	0	0	0	0	
15-20	179	3	166	10	0	0	0	0	0	0	0	0	
21 and over	6	1	1	2	0	1	0	0	1	0	0	0	
Unknown	11	0	11	0	0	0	0	0	0	0	0	0	

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R13. Abortions by age of woman and weeks gestation, residents: Utah, 2007

Age	Total	Weeks Gestation									Un-known
		Under 5	5-6	7-8	9-10	11-12	13-14	15-20	21 and over		
Total	3,516	64	946	1,322	559	239	190	179	6	11	
Under 15	16	2	4	1	4	0	2	3	0	0	
Total 15 to 19	573	2	126	222	106	46	33	34	2	2	
15-17	156	0	32	58	34	15	9	7	0	1	
18-19	417	2	94	164	72	31	24	27	2	1	
20-24	1,125	23	284	419	177	90	57	70	1	4	
25-29	832	14	244	288	142	60	49	32	1	2	
30-34	501	10	157	204	57	23	28	20	0	2	
35-39	301	6	83	129	45	14	12	10	2	0	
40-44	108	5	32	40	15	2	8	5	0	1	
45 and over	10	0	4	3	2	1	0	0	0	0	
Unknown	50	2	12	16	11	3	1	5	0	0	

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

Table R14. Abortions by age of woman and method of termination, residents: Utah, 2007

Age	Method of Termination								
	Total	Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica- tion	Uterine Instillation	Intra- uterine Hyster- ectomy	Other	Un- known
Total	3,516	156	2,126	93	1,141	1	0	0	1
Under 15	16	1	9	2	4	0	0	0	0
Total 15 to 19	573	23	351	19	180	0	0	0	0
15-17	156	4	103	6	43	0	0	0	0
18-19	417	19	248	13	137	0	0	0	0
20-24	1,125	55	675	34	360	1	0	0	1
25-29	832	37	496	21	279	0	0	0	0
30-34	501	17	298	10	176	0	0	0	0
35-39	301	12	192	5	92	0	0	0	0
40-44	108	9	67	1	31	0	0	0	0
45 and over	10	0	9	0	1	0	0	0	0
Unknown	50	2	29	1	18	0	0	0	0

The totals do not add because more than one choice is possible for each number in the total.

Table R15. Abortions by weeks gestation and method of termination, residents: Utah, 2007

Weeks gestation	Method of Termination								
	Total	Dilation and Evacuation	Suction Curettage	Sharp Curettage	Medica- tion	Uterine Instillation	Intra- uterine Hyster- ectomy	Other	Un- known
Total	3,516	156	2,126	93	1,141	1	0	0	1
Under 5	64	1	5	0	58	0	0	0	0
5-6	946	1	396	7	542	0	0	0	0
7-8	1,322	3	838	11	469	1	0	0	1
9-10	559	2	510	8	39	0	0	0	0
11-12	239	5	221	6	7	0	0	0	0
13-14	190	60	111	13	6	0	0	0	0
15-20	179	82	41	47	10	0	0	0	0
21 and over	6	1	0	1	4	0	0	0	0
Unknown	11	1	4	0	6	0	0	0	0

The last menstrual date is used to calculate gestation when the physician's clinical estimate is not available.

The totals do not add because more than one choice is possible for each number in the total.

Table R16. Abortions by age of woman and mention of any complications, residents: Utah, 2007

Age of Woman	Total	Mention of any Complication		
		Yes	No	Unknown
Total	3,516	1	3,514	1
Under 15	16	0	16	0
Total 15 to 19	573	1	572	0
15-17	156	0	156	0
18-19	417	1	416	0
20-24	1,125	0	1,125	0
25-29	832	0	832	0
30-34	501	0	501	0
35-39	301	0	300	1
40-44	108	0	108	0
45 and over	10	0	10	0
Unknown	50	0	50	0

Table R17. Abortions by age of woman and history of contraceptive use in past year, residents: Utah, 2007

Age of Woman	Total	History of Contraceptive Use in Past Year		
		Yes	No	Unknown
Total	3,516	1,130	1,798	588
Under 15	16	1	12	3
Total 15 to 19	573	161	333	79
15-17	156	36	101	19
18-19	417	125	232	60
20-24	1,125	375	578	172
25-29	832	289	394	149
30-34	501	164	238	99
35-39	301	101	157	43
40-44	108	26	57	25
45 and over	10	1	6	3
Unknown	50	12	23	15

Table R18. Abortions by age of woman and pregnancy due to omission of contraceptive, residents: Utah, 2007

Age of Woman	Total	Omission of Contraceptive		
		Yes	No	Unknown
Total	3,516	312	516	2,688
Under 15	16	1	0	15
Total 15 to 19	573	51	73	449
15-17	156	11	22	123
18-19	417	40	51	326
20-24	1,125	107	161	857
25-29	832	80	140	612
30-34	501	40	76	385
35-39	301	21	49	231
40-44	108	6	13	89
45 and over	10	0	1	9
Unknown	50	6	3	41

Table R19. Abortions by age of woman and method of contraceptive in past year, residents: Utah, 2007

Age of Woman	Total	Methods of contraceptive used in past year													
		Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Couitus	Depo- provera	Other	Un- known	Not Applicable		
Total	3,516	523		4	20	388	37		1	4	8	71	107	630	2,385
Under 15	16	0		0	0	1	0		0	0	0	0	0	3	15
Total 15 to 19	573	87		0	1	50	1		0	0	1	8	14	85	412
15-17	156	19		0	0	9	0		0	0	0	2	5	20	120
18-19	417	68		0	1	41	1		0	0	1	6	9	65	292
20-24	1,125	186		2	3	121	9		0	0	2	22	37	186	750
25-29	832	136		1	7	92	17		0	1	0	22	25	162	543
30-34	501	58		0	4	65	5		1	1	3	13	18	105	337
35-39	301	38		1	5	43	4		0	2	1	5	8	45	199
40-44	108	11		0	0	13	1		0	0	1	1	1	26	82
45 and over	10	1		0	0	0	0		0	0	0	0	1	3	9
Unknown	50	6		0	0	3	0		0	0	0	0	3	15	38

The totals do not add because more than one choice is possible for each number in the total.

Table R20. Abortions by marital status of woman and method of contraceptive in past year, residents: Utah, 2007

Marital Status	Total	Methods of contraceptive used in past year													
		Oral (pill)	Diaphram	Foam Jelly	Condom	I U D	Surgical Sterilization	Rhythm	Couitus	Depo- provera	Other	Un- known	Not Applicable		
Total	3,516	523		4	20	388	37		1	4	8	71	107	630	2,385
Never Married	2,104	326		4	11	204	10		0	1	3	38	62	365	1,461
Married	718	77		0	7	104	13		1	3	4	11	22	152	482
Widowed	14	2		0	0	0	0		0	0	0	0	1	2	11
Divorced	253	65		0	1	42	7		0	0	0	12	10	13	120
Separated	162	31		0	1	22	5		0	0	0	7	5	3	97
Unknown	265	22		0	0	16	2		0	0	1	3	7	95	214

The totals do not add because more than one choice is possible for each number in the total.

Table R21. Abortions by number of prior live births, prior abortions and method of contraceptive in past year, residents: Utah, 2007

Prior Live Births and Prior Abortions	Total	Method of Contraceptive												
		Oral (pill)				Surgical				Depo-provera				
		Foam	Diaphram	Jelly	Condom	IUD	Steril-ization	Rhythm	Coitus	Other	Un-known	Not Applicable		
Total	3,516	523		4	20	388	37	1	4	8	71	107	630	2,385
No Live Births	1,466	260		4	11	172	3	0	1	3	19	45	225	964
One Live Birth	734	100		0	2	67	12	0	0	1	13	21	134	515
More than One Birth	1,196	159		0	7	148	22	1	3	4	38	38	183	794
Births Unknown	120	4		0	0	1	0	0	0	0	1	3	88	112
No Abortions	2,269	339		1	11	264	24	1	0	7	44	61	325	1,538
No Live Births	1,130	191		1	8	125	1	0	0	2	12	31	163	770
One Live Birth	476	67		0	0	48	9	0	0	1	8	10	75	331
More than One Birth	661	81		0	3	91	14	1	0	4	24	19	87	436
Births Unknown	2	0		0	0	0	0	0	0	0	0	1	0	1
One Abortion	746	113		2	6	75	9	0	3	0	19	33	149	493
No Live Births	255	52		2	1	30	2	0	1	0	5	13	51	152
One Live Birth	185	19		0	1	14	1	0	0	0	5	10	42	134
More than One Birth	304	42		0	4	31	6	0	2	0	9	9	56	206
Births Unknown	2	0		0	0	0	0	0	0	0	0	1	0	1
More Than One Abortion	345	57		1	3	46	4	0	1	1	5	11	61	218
No Live Births	75	15		1	2	16	0	0	0	1	2	1	11	39
One Live Birth	71	14		0	1	5	2	0	0	0	0	1	17	48
More than One Birth	197	28		0	0	24	2	0	1	0	3	9	32	130
Births Unknown	2	0		0	0	1	0	0	0	0	0	0	1	1
Abortions Unknown	156	14		0	0	3	0	0	0	0	3	2	95	136
No Live Births	6	2		0	0	1	0	0	0	0	0	0	0	3
One Live Birth	2	0		0	0	0	0	0	0	0	0	0	0	2
More than One Birth	34	8		0	0	2	0	0	0	0	2	1	8	22
Births Unknown	114	4		0	0	0	0	0	0	0	1	1	87	109

The totals do not add because more than one choice is possible for each number in the total.

Table R22. Abortions by education of woman and method of contraceptive in past year, residents: Utah, 2007

Education	Total	Method of Contraceptive												
		Oral (pill)				Surgical				Depo-Provera				
		Foam	Diaphram	Jelly	Condom	IUD	Steril-ization	Rhythm	Coitus	Other	Un-known	Not Applicable		
Total	3,516	523		4	20	388	37	1	4	8	71	107	630	2,385
Under 12 Years	333	50		0	2	44	3	0	0	1	12	12	11	209
High School	1,302	181		0	7	136	13	0	1	3	26	37	212	901
Over 12 Years	1,017	258		4	10	167	18	1	3	3	25	48	128	509
Unknown	864	34		0	1	41	3	0	0	1	8	10	279	766

The totals do not add because more than one choice is possible for each number in the total.

2007 Appendix:

Abortions

Technical Appendix

Section 76-7-313, Utah Code Annotated 1953 as amended requires that the report of induced termination of pregnancy (Figure A) be filed with the State of Utah's Department of Health within ten days after the abortion.

The reported number of abortions to Utah residents that are performed out of state is small and suggests an undercount. This small number of reported abortions that occur in other states are not shown by county of residence in this report.

For both the summary and reference tables in this report, data are tabulated by health district as well as county of residence to meet the needs of local health departments.

Population data are from the Demographic and Economic Analysis section of the Governor's Office of Planning and Budget.

Formulas used to compute rates and ratios used in this report are defined as follows:

$$\text{Abortion Rate} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Resident Females 15-44 Years of Age}}$$

$$\text{Abortion Ratio} = \frac{\text{Total Number of Induced Abortions to Resident Females (1,000)}}{\text{Total Number of Live Births to Resident Females}}$$

Figure 1

STATE OF UTAH DEPARTMENT OF HEALTH REPORT OF INDUCED TERMINATION OF PREGNANCY								CONFIDENTIAL This report will be used for statistical purposes by the Utah Department of Health. It may be used to insure compliance with the provisions of the Utah State Abortion Law. It will be kept Confidential pursuant to Chapter 25, Title 26.		
1. PLACE where termination occurred-hospital or other facility. If not in hospital or clinic, enter street address.				1b. CITY			1c. COUNTY			
2. RESIDENCE State _____ County _____ City, Village _____ Zip Code _____				3. PATIENT'S BIRTHDATE Month _____ Year _____		4. MARITAL STATUS 1 <input type="checkbox"/> Never Married 2 <input type="checkbox"/> Married 3 <input type="checkbox"/> Widowed 4 <input type="checkbox"/> Divorced 5 <input type="checkbox"/> Separated				
5. WAS PATIENT OF HISPANIC ORIGIN? 1 <input type="checkbox"/> Yes (If yes, Specify) 2 <input type="checkbox"/> No 1 <input type="checkbox"/> Mexican 2 <input type="checkbox"/> Cuban 3 <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Other (Specify) _____				6. RACE 1 <input type="checkbox"/> White 2 <input type="checkbox"/> Black 3 <input type="checkbox"/> American Indian 9 <input type="checkbox"/> Asian/Pacific Islander <input type="checkbox"/> Other (Specify) _____			7. EDUCATION (Specify highest grade completed) Elementary/Secondary (0-12) College (13-16 or 17+)			
8. PREVIOUS PREGNANCIES (Complete each section) LIVE BIRTHS OTHER PREGNANCIES				9. CONTRACEPTIVE HISTORY Has the patient practiced contraception in the past year? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown		10. METHODS {if "yes" to no. 9, what method(s) used?} 0 <input type="checkbox"/> Oral (pill) 5 <input type="checkbox"/> Surgical Sterilization 1 <input type="checkbox"/> Diaphragm 6 <input type="checkbox"/> Rhythm 2 <input type="checkbox"/> Foam Jelly 7 <input type="checkbox"/> Coitus Interruptus (Withdrawal) 3 <input type="checkbox"/> Condom 8 <input type="checkbox"/> Depo Provera 4 <input type="checkbox"/> IUD 9 <input type="checkbox"/> Other {Specify} _____				
11. If "Yes" to no. 9, did the pregnancy follow from temporarily omitting the method of contraception? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown If "Yes", which method? _____				11. ANTI-RH IMMUNE globulin indicated 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown		13. ANTI-RH IMMUNE globulin given 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 3 <input type="checkbox"/> Patient Refused				
14. DATE OF TERMINATION Month _____ Day _____ Year _____		15. FIRST DAY OF LAST MENSTRUAL PERIOD Month _____ Day _____ Year _____		16. CLINICAL ESTIMATE OF GESTATION (Weeks)		17. EVIDENCE OF PREVIOUS ATTEMPT TO TERMINATE THIS PREGNANCY 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown				
18a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one)				18b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY			19. REASON FOR TERMINATION (Check all that apply)			
1 <input type="checkbox"/> Suction Curettage 2 <input type="checkbox"/> Sharp Curettage (D & C) 3 <input type="checkbox"/> Dilation and Evacuation (D & E) 4 <input type="checkbox"/> Medical (Nonsurgical), Specify Medication(s) 5 <input type="checkbox"/> Intra-Uterine Instillation (Saline or Prostaglandin) 6 <input type="checkbox"/> Hysterotomy/Hysterectomy 7 <input type="checkbox"/> Other (Specify) _____							1 <input type="checkbox"/> Maternal Life Endangered 2 <input type="checkbox"/> Therapeutic 3 <input type="checkbox"/> Fetal Malformation 4 <input type="checkbox"/> HIV Positive 5 <input type="checkbox"/> Rape 6 <input type="checkbox"/> Incest 7 <input type="checkbox"/> Elective 8 <input type="checkbox"/> Other			
20. COMPLICATIONS (Check all that apply)										
0 <input type="checkbox"/> None 1 <input type="checkbox"/> Hemorrhage		2 <input type="checkbox"/> Perforation of Uterus 3 <input type="checkbox"/> Cervical Laceration		4 <input type="checkbox"/> Infection 5 <input type="checkbox"/> Anesthetic		6 <input type="checkbox"/> Retained Products 7 <input type="checkbox"/> Death		8 <input type="checkbox"/> Other, Specify: _____		
21. HOSPITALIZATION REQUIRED AS A RESULT OF COMPLICATIONS				1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No			Month _____ Day _____ Year _____			
If "yes", Name of Hospital: _____								ADMISSION DATE: _____ / _____ / _____		
22. WAS THE FETUS CAPABLE OF SURVIVAL OUTSIDE THE UTERUS? 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No 9 <input type="checkbox"/> Unknown				Subscribed & sworn to before me this _____ day of _____ 19_____ Notary Public _____						
23. I hereby certify that the required consent was voluntarily obtained as provided in Section 76-7-305, Utah Code Annotated, 1953 as Amended.								S E A L		
24. SIGNATURE OF PHYSICIAN _____										
25. NAME OF PHYSICIAN (Print or Type)				26. DATE						

(COMPLETE REVERSE SIDE ALSO)

CONFIDENTIAL

SURGICAL PATHOLOGY REPORT**GROSS and MICROSCOPIC
TO BE COMPLETED ON ALL INDUCED ABORTIONS**

- 1) Presence of chorionic villi 1 Yes 2 No 9 Unknown
 2) Presence of decidual tissue 1 Yes 2 No 9 Unknown
 3) Presence of marked inflammatory reaction 1 Yes 2 No 9 Unknown
 4) Presence of embryo or fetal parts 1 Yes 2 No 9 Unknown
 5) Gross appearance of embryo 1 Normal
 2 Macerated
 3 Malformed - Type _____
-

- 6) Measurements of embryo Length _____ cms
 Weight _____ gms.

**COMPLETE THIS SECTION FOR ABORTIONS BEYOND
90 DAYS GESTATION****1. Measurement of Embryo**

Heel to Toe _____ mm.

Biparietal Diameter _____ cm.

Date BPD Measured _____

2. Complications or Post-Operative Morbidity

- 00 None
 01 Cardiac Arrest
 02 Disseminated Intravascular Coagulation
 03 Ectopic Pregnancy
 04 Failed Abortion
 05 Hemorrhage (less than 500 ml.)
 06 Hemorrhage (500 ml. or more)
 07 Incomplete abortion (retained tissue)
 08 Injury to cervix
 09 Pelvic Infection
 10 Perforation
 11 Postabortal bleeding or spotting
 12 Pulmonary embolism or infarction
 13 Reaction to Anesthesia - general
 14 Reaction to Anesthesia - local
 15 Respiratory arrest
 16 Other, Specify _____

3. Time of Complication

- 1 During Procedure
 2 During Recovery
 3 After Discharge

4. Management of Complication

- 1 Hospitalization (immediate)
 2 Hospitalization (later by Facility)
 3 Hospitalization (later not by Facility)
 4 Repeat Evacuation (immediate)
 5 Repeat Evacuation (later at Facility)
 6 Repeat Evacuation (later not at Facility)

5. Two Week Follow-up

- 1 In Facility, Normal
 2 Other _____
 3 Other Facility, Normal
 4 Other _____
 5 Examination Not Done
 6 Unable to Contact

6. Future Contraception Planned

- 1 Oral (Pill)
 2 IUD
 3 Diaphragm
 4 Other Contraception
 5 None Wanted

7. Reason for Late Abortion

- 1 Woman continued to have menses
 2 Afraid to tell parents, spouse, etc.
 3 Denial of Pregnancy
 4 Planned pregnancy, change of circumstances
 5 Suspected or known fetal malformation
 6 Late referral
 7 Unable to afford cost earlier in pregnancy
 8 Other, Specify _____

OFFICE OF VITAL RECORDS AND STATISTICS
UTAH DEPARTMENT OF HEALTH
PO BOX 141012
SALT LAKE CITY UT 84114-1012